

Cippenham Green Ward Pack

By

Slough Public Health Intelligence Team

Executive Summary

- The population is evenly divided between White and Non-White groups, with Pakistanis being the largest Non-White ethnic group, followed by Indians.
- Gender distribution is balanced, with 50% male and 50% female.
- Approximately 80% of the population speaks English.
- Over 58% of the population is in the 19-64 age group, with the majority being 30-49 years old, and 32% are under 18 years.
- The area ranks in the top 10% of the least deprived wards, and is the second least deprived ward in Slough.
- Cippenham Green has the sixth-highest stroke mortality rate in the borough, which is comparable to both the national and Slough average. This affluent area has good services and lower demand for health services compared to other wards, but the stroke mortality rate should still be monitored, and support services considered.

Slough Borough Ward Health Profile

Introduction

Ward Name:

The objective of this ward health profile:

To provide an engaging and effective presentation of demographic characteristics and present health status of the local area population in comparison to the borough and national average.

Demography


Deprivation

Socio-Economic Factors


Health

Ward View


Age Group (%) - 2021 Census




Ethnic Groups (%) - 2021 Census




English Proficiency (%) - 2021 Census




Gender (%) - 2021 Census



Index of Multiple Deprivation (IMD) Score




Population Pyramid - ONS Mid-Year Estimate 2020



- The population is evenly split between White and Non-White groups, with Pakistanis being the largest ethnic group among Non-Whites, followed by Indians
- The gender distribution is nearly equal, with 50% male and 50% female.
- Approximately 80% of the population speaks English.
- Over 58% of the population falls within the 19-64 age group, followed by 32% under 18 years, with the majority aged between 30-49 years, and a significant portion aged 0-19 years.
- The area ranks in the top 10% of the least deprived wards, ranking second compared to other wards in Slough.

Key Issue – Childhood Obesity



Cippenham Green has the sixth-highest stroke mortality rate across all ages in the borough, though it is more or less similar to the national and Slough averages. This is an affluent area with good services, leading to lower demand for health services compared to other wards. However, The stroke mortality rate is worth monitoring, and support services needed to be considered.

Ward Summary of Key Issues – Wider Determinants

Slough Borough Ward Health Profile

[HOME](#)

Sub-Domain	Baylis and Stoke	Britwell and Northborough	Central	Chalvey	Cippenham Green	Cippenham Meadows	Colnbrook with Poyle	Elliman	Farnham	Foxborough	Haymill and Lynch Hill	Langley Kedermister	Langley St Mary's	Upton	Wexham Lea
Children															
Income Deprivation Affecting Children Index (IDACI) Score - 2019	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1	0.1
Crime															
Crime Score - 2019	0.7	0.5	0.6	0.7	0.1	0.4	0.8	1.0	0.5	0.6	0.1	0.4	-0.1	0.2	0.2
Education															
Highest Level of Qualification - %-Level 4 qualifications or above - 2021	26.0	29.5	40.4	33.6	32.9	35.6	32.7	31.7	28.7	29.4	36.8	37.8	42.5	48.0	30.9
Highest Level of Qualification - %-No qualifications - 2021	26.6	20.7	19.7	24.2	17.4	17.3	17.3	23.8	24.5	20.4	17.2	18.5	14.8	15.2	23.6
Housing															
Barriers to Housing and Services Score - 2019	32.7	38.6	39.7	42.8	25.2	35.9	40.4	36.0	32.4	37.1	34.8	38.5	34.5	39.2	38.2
Household Size - %-8 or more people in household - 2021	4.3	1.1	2.1	3.5	0.9	1.5	1.2	3.0	2.4	0.3	0.5	1.1	1.7	2.8	3.7
Modelled estimates of the proportion of households in fuel poverty (%) - 2020	13.5	12.7	11.0	11.9	8.0	6.5	6.8	12.1	11.1	10.4	7.1	10.1	5.9	7.2	10.3
Living Environment															
Living Environment Score - 2019	22.4	15.6	31.6	30.4	20.5	19.3	30.7	22.8	20.4	23.6	19.8	19.8	18.2	21.4	20.4
Main Language															
Proficiency in English - %-Main language is not English (English or Welsh in Wales) - 2021	29.9	19.3	37.0	34.5	19.2	26.5	24.7	33.7	34.4	23.7	15.9	24.8	23.6	25.7	30.2
Older People															
Income Deprivation Affecting Older People (IDAOP) Score - 2019	0.3	0.3	0.3	0.3	0.1	0.2	0.2	0.3	0.2	0.3	0.2	0.2	0.1	0.1	0.3
Overall Deprivation															
Index of Multiple Deprivation (IMD) Score - 2019	27.2	32.5	24.4	31.8	15.2	20.5	26.1	29.7	23.0	28.2	18.4	23.1	14.4	15.7	23.6
Smoking															
Smoking prevalence at age 15. Regular smokers (modelled estimates) - 2014	1.5	2.7	1.9	1.7	4.2	2.7	2.9	1.9	2.2	2.3	4.1	2.6	3.7	2.5	2.0
Unpaid Care															
Provision of Unpaid Care - %-Provides 19 hours or less unpaid care a week - 2021	2.8	3.0	2.4	2.2	3.5	2.9	3.0	2.8	3.0	3.8	3.6	3.4	3.3	4.2	2.9

Bottom 20% Top 20%

Ward Summary of Key Issues – Health

Slough Borough Ward Health Profile

[HOME](#)

[England Comparator](#)
[Slough Comparator](#)

Sub-Domain	Baylis and Stoke	Britwell and Northborough	Central	Chalvey	Cippenham Green	Cippenham Meadows	Colnbrook with Poyle	Elliman	Farnham	Foxborough	Haymill and Lynch Hill	Langley Kederminster	Langley St Mary's	Upton	Wexham Lea
Obesity															
Year 6 prevalence of obesity (including severe obesity), 3 years data combined - 2019/20 - 21/22	27.6	26.6	28.0	27.1	22.5	27.4	26.0	31.8	28.0	24.3	25.0	23.9	28.3	25.3	30.1
Reception prevalence of obesity (including severe obesity), 3 years data combined - 2019/20 - 21/22	13.3	12.2	12.1	10.9	9.0	11.3	9.6	14.0	10.5	14.7	9.7	9.5	8.4	10.8	9.5
Mortality															
Male Life expectancy at birth, upper age band 90 and over - 2016 - 20	76.6	76.9	79.3	74.3	80.9	82.1	81.1	77.1	79.4	76.5	79.4	76.4	81.6	81.3	76.5
Female Life expectancy at birth, upper age band 90 and over - 2016 - 20	79.3	80.1	89.2	79.1	84.7	83.8	82.8	81.6	85.1	84.3	84.0	84.1	84.3	84.5	80.2
Deaths from stroke, all ages, standardised mortality ratio - 2016 - 20	160.1	111.1	132.6	164.4	120.9	94.1	89.8	137.8	78.0	64.0	84.4	98.5	56.9	48.6	148.7
Deaths from respiratory diseases, all ages, standardised mortality ratio - 2016 - 20	117.9	168.4	54.6	126.2	77.8	95.5	102.4	113.9	91.5	165.6	93.5	104.6	80.3	101.5	130.7
Deaths from coronary heart disease, all ages, standardised mortality ratio - 2016 - 20	184.9	151.4	122.0	189.1	100.2	122.7	151.0	133.3	117.0	133.8	133.4	160.5	83.7	128.0	119.7
Deaths from all causes, under 75 years, standardised mortality ratio - 2016 - 20	148.6	165.9	114.2	158.9	98.9	111.5	105.1	119.9	105.7	145.2	84.8	117.7	92.5	77.7	132.9
Maternity															
Low birth weight (LBW) of live babies, five year pooled - 2016 - 20	9.0	8.9	9.3	8.1	7.8	6.9	9.7	8.9	6.8	8.6	7.7	8.5	7.9	12.0	10.3
Hospital Admissions															
Hospital admissions for alcohol attributable conditions, broad definition - 2016/17 - 20/21	119.4	129.4	110.2	161.0	82.4	99.4	109.1	108.0	105.4	125.1	92.6	101.1	95.0	94.6	106.0
Emergency hospital admissions in under 5 years old, crude rate - 2016/17 - 20/21	168.2	195.5	186.3	204.7	168.8	174.0	193.5	158.0	183.4	193.2	154.5	158.3	149.0	219.1	222.7
Emergency hospital admissions for stroke, standardised admission ratio - 2016/17 - 20/21	165.6	133.5	103.8	176.0	122.8	110.1	154.4	118.2	161.0	135.1	96.2	99.8	102.3	106.4	135.3
Emergency hospital admissions for intentional self harm, standardised admission ratio - 2016/17 - 20/21	63.5	133.2	63.7	82.0	45.2	59.2	78.8	117.7	65.2	64.9	82.6	55.1	61.6	83.6	60.4
Emergency hospital admissions for coronary heart disease, standardised admission ratio - 2016/17 - 20/21	224.2	132.6	181.2	242.2	111.6	121.9	121.5	136.1	136.6	136.0	73.4	108.4	122.6	153.2	148.4
Emergency hospital admissions for chronic obstructive pulmonary disease (COPD), standardised admission ratio - 2016/17 - 20/21	109.7	373.8	66.7	95.3	69.2	66.5	233.0	88.1	68.0	196.2	120.7	118.5	55.2	30.0	133.8
Cancer Incidence															
Incidence of all cancers, standardised incidence ratio - 2015 - 19	98.3	109.9	87.1	78.0	108.1	90.6	95.8	84.3	100.5	105.7	104.7	117.8	97.4	81.2	104.2

Significantly Higher/Worse Similar Lower/Better